NSN 4810-01-137-9073

Ball Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-01-137-9073

Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No	
Bolt Hole Quantity: 12 1st and Connection Style: Reduced socket 2nd end Valve Operation Method: Hydraulic Flange Shape: Round with holes 1st and Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16 250 inches 1st end Thickness: 2 000 inches 1st end Bolt Hole Diameter: 11.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Utlange end connection holes are 1-1/8 in, Drill and 1-1/4 in, 7 nc-5 bottom tap 1-1/4 in, Deep; with 2.995 min 2.997 maximum in, Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure:	Pipe Size Accommodated:
12 1st end Connection Style: Reduced socket 2nd end Valve Operation Method: Hydraulic Flange Shape: Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16:250 inches 1st end Floriches 1st end Bolt Hole Diameter: 1.020 inches 1st end Bolt Hole Diameter: 1.2875 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Pilain 1st end Special Features: Lilange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2-995 min 2-997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-90 Shelf Life: Na Unit Of Measure: — Demilitarization: No Flig:	8.000 inches 2nd end
Connection Style: Reduced socket 2nd end Valve Operation Method: Hydraulic Flange Shape: Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16:280 inches 1st end Thickness: 2:000 inches 1st end Thickness: 2:000 inches 1st end Bolt Hole Diameter: 11.28 inches 1st end Bolt Circle Diameter: 12:875 inches 1st end Bolt Circle Diameter: 12:875 inches 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Lifte: N/a Unit Of Measure: - Demilitarization: No Flig:	Bolt Hole Quantity:
Reduced socket 2nd end Valve Operation Method: Hydraulic Flange Shape: Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 1.128.75 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep: with 2.995 min 2.997 maximum in. Diameter same waterials pecification: Qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Sheff Life: N/a Unit Of Measure: —— Demilitarization: No Flig:	12 1st end
Valve Operation Method: Hydraulic Flange Shape: Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Boit Hole Diameter: 1.125 inches 1st end Boit Hole Diameter: 1.125 inches 1st end Boit Circle Diameter: 1.2875 inches 1st end Boit Circle Diameter: 12.875 inches 1st end Special Features: Ulliange and connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Sheff Life: N/a Unit Of Measure: Demilitarization: No Flig:	Connection Style:
Hydraulic Flange Shape: Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 11.25 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure:	Reduced socket 2nd end
Flange Shape: Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 11.25 inches 1st end Bolt Hole Diameter: 12.875 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Lilange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: — Demilitarization: No Flig:	Valve Operation Method:
Round with holes 1st end Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 1.125 inches 1st end Bolt Circle Diameter: 1.2.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liftange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Hydraulic
Connection Type: Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 1.2875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Flange Shape:
Unthreaded internal pipe 2nd end Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Round with holes 1st end
Outside Diameter: 16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Bolt Circle Diameter: 12.876 inches 1st end Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Eirr-090 Shelf Liffe: N/a Unit Of Measure: Demilitarization: No Flig:	Connection Type:
16.250 inches 1st end Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Unthreaded internal pipe 2nd end
Thickness: 2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: — Demilitarization: No Fig:	Outside Diameter:
2.000 inches 1st end Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	16.250 inches 1st end
Bolt Hole Diameter: 1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Thickness:
1.125 inches 1st end Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Lflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	2.000 inches 1st end
Bolt Circle Diameter: 12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Lflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Bolt Hole Diameter:
12.875 inches 1st end Flange Face Design: Plain 1st end Special Features: Lflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig:	1.125 inches 1st end
Flange Face Design: Plain 1st end Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Bolt Circle Diameter:
Plain 1st end Special Features: Lflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	12.875 inches 1st end
Special Features: Liflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Flange Face Design:
Lflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Plain 1st end
stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154 Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Special Features:
Material: Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Lflange end connection holes are 1-1/8 in. Drill and 1-1/4 in. 7 nc-5 bottom tap 1-1/4 in. Deep; with 2.995 min 2.997 maximum in. Diameter
Plastic polyamide seat Material Specification: Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	stem extension, nickel-copper-aluminum alloy, qq-n-286, class a, p/n v-7205, fscm 53154
Demilitarization: No Fiig:	Material:
Qq-n-288, compe federal specification single material response body Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Plastic polyamide seat
Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Material Specification:
Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Qq-n-288, compe federal specification single material response body
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
N/a Unit Of Measure: Demilitarization: No Fiig:	Err-090
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
Demilitarization: No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A046b0	Fiig:
	A046b0