Solenoid Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-01-142-0052

| Pipe Size Accommodated:                        |  |
|--|--|
| .250 inches 1st end                            |  |
| hread Direction:                               |  |
| Right-hand 1st end                             |  |
| Aperture Diameter:                             |  |
| .250 inches                                    |  |
| Flow Control Device:                           |  |
| Piston   |  |
| Flow Control Device Normal Operation Position: |  |
| Closed   |  |
| Connection Style:                              |  |
| 69 plain, optional en (pipe) 1st end           |  |
| /alve Operation Method:                        |  |
| Solenoid                                       |  |
| Connection Type:                               |  |
| hreaded internal pipe 1st end                  |  |
| Nounting Position:                             |  |
| lorizontal or vertical                         |  |
| hready Qty Per Inch (tpi):                     |  |
| 8 1st end                                      |  |
| nlet/outlet Operating Pressure Differential:   |  |
| 0.0 pounds per square inch                     |  |
| hread Size:                                    |  |
| .250 inches 1st end                            |  |
| /oltage In Volts And Current Type:             |  |
| 24.0 dc  |  |
| Naterial:                                      |  |
| Stainless steel                                |  |
| Style Designator:                              |  |
| Err-090  |  |
| hread Series Designator:                       |  |
| Ipt 1st end                                    |  |
| Shelf Life:                                    |  |
| l/a  |  |
| Init Of Measure:                               |  |
| -  |  |
| Demilitarization:                              |  |
| lo   |  |
| iig:   |  |
| 1046b0   |  |