## NSN 4810-01-144-3701

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-144-3701

Flow Control Device: Disk Flow Control Device Normal Operation Position: Closed **Bolt Hole Quantity:** 4 all ends **Valve Operation Method:** Solenoid Flange Shape: Round with holes all ends **Connection Type:** Flange all ends **Mounting Position:** Horizontal Valve Size: 0.500 inches **Inlet/outlet Operating Pressure Differential:** 600.0 pounds per square inch **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Voltage In Volts And Current Type:** 220.0 ac **Outside Diameter:** 3.750 inches all ends **Face To Face Distance:** 6.000 inches Thickness: 0.562 inches all ends **Bolt Hole Diameter:** 0.625 inches all ends **Bolt Circle Diameter:** 2.625 inches all ends Flange Face Design: Raised straight all ends **Raised Face Height:** 0.062 inches all ends **Raised Face Diameter:** 1.375 inches all ends Phase: Single

60.0

Frequency In Hertz:

## NSN 4810-01-144-3701

Solenoid Valve - Page 2 of 2



Material:
Stainless steel packing
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A046b0