

View Online at <https://aerobasegroup.com/nsn/4810-01-151-0672>

Aperture Diameter:

1.280 inches

Flow Control Device:

Poppet

Flow Control Device Normal Operation Position:

Open

Bolt Hole Quantity:

4 2nd end

Maximum Operating Temp:

350.0 degrees fahrenheit single response

Connection Style:

G63 beaded (hose) 1st end

Width:

1.390 inches 2nd end

Length:

2.030 inches 2nd end

Current Rating In Amps:

1.000

Valve Operation Method:

Solenoid

Flange Shape:

Rectangular with holes 2nd end

Connection Type:

Unthreaded external tube 1st end

Mounting Position:

Horizontal

Maximum Operating Pressure:

400.0 pounds per square inch single response

Voltage In Volts And Current Type:

30.0 dc

Bolt Hole Diameter:

0.234 inches 2nd end

Center To Center Distance Between Bolt Holes Along Length:

1.560 inches 2nd end

Center To Center Distance Between Bolt Holes Along Width:

0.940 inches 2nd end

Flange Face Design:

Plain 2nd end

Outside Diameter Tube Accommodated:

0.420 inches 1st end

Material:

Stainless steel

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0