## NSN 4810-01-154-6810

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-154-6810

### Thread Direction:

Right-hand all ends

#### Aperture Diameter:

2.094 inches

## **Flow Control Device:**

Disk

#### Flow Control Device Normal Operation Position:

Closed

#### Maximum Operating Temp:

104.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

0.032

#### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

## Mounting Position:

Horizontal

## Inlet/outlet Operating Pressure Differential:

Between 0.0 pounds per square inch and 5.0 pounds per square inch

## Maximum Operating Pressure:

100.0 pounds per square inch single response

#### Thread Size:

2.000 inches all ends

## Voltage In Volts And Current Type:

480.0 ac

Phase:

Single

#### **Frequency In Hertz:**

60.0

## Material:

Aluminum body

## Media For Which Designed:

Gas, inert 2nd response

## Style Designator:

Err-090

## Thread Series Designator:

Npt all ends

## Shelf Life:

N/a

# NSN 4810-01-154-6810

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

