NSN 4810-01-154-8365

Solenoid Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-01-154-8365

Flow Control Device:
Needle
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
240.0 degrees fahrenheit single response
Connection Style:
Socket (tube) 1st end
Current Rating In Amps:
1.300 and 0.270 and 0.130
Valve Operation Method:
Solenoid
Connection Type:
Unthreaded internal tube 1st end
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
300.0 pounds per square inch single response
Voltage In Volts And Current Type:
120.0 ac and 240.0 ac
Outside Diameter Tube Accommodated:
0.875 inches 1st end
0.875 inches 1st end Phase:
Phase:
Phase: Single
Phase: Single Frequency In Hertz:
Phase: Single Frequency In Hertz: 60.0
Phase: Single Frequency In Hertz: 60.0 Material:
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed:
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator:
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator: Err-090
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator: Err-090 Shelf Life:
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator: Err-090 Shelf Life: N/a
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator: Err-090 Shelf Life: N/a
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure:
Phase: Single Frequency In Hertz: 60.0 Material: Stainless steel flow control device Media For Which Designed: Refrigerant, halogenated single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: