NSN 4810-01-171-4940



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-171-4940 Flow Control Device: **Poppet** Flow Control Device Normal Operation Position: Universal **Bolt Hole Quantity:** 6 all ends **Current Rating In Amps:** 0.260 **Valve Operation Method:** Solenoid Flange Shape: Round with holes all ends **Connection Type:** Flange all ends **Mounting Position:**

Horizontal or vertical

Valve Size:

2.500 inches

Maximum Operating Pressure:

150.0 pounds per square inch single response

Voltage In Volts And Current Type:

115.0 ac

Outside Diameter:

6.125 inches all ends

Face To Face Distance:

9.000 inches

Thickness:

0.500 inches all ends

First Connection Face To Centerline Distance:

6.500 inches

Bolt Hole Diameter:

0.562 inches all ends

Bolt Circle Diameter:

5.750 inches all ends

Flange Face Design:

Plain all ends

Phase:

Single

Frequency In Hertz:

60.0

Material:

Nickel alloy flow control device

NSN 4810-01-171-4940

Solenoid Valve - Page 2 of 2



Me	dia	For	Which	Design	ed:

Water-oil-gas single response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0