## NSN 4810-01-181-8489

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-181-8489

### Thread Direction:

Right-hand all ends

#### Aperture Diameter:

0.625 inches

## Flow Control Device:

Disk

#### Flow Control Device Normal Operation Position:

Closed

#### Maximum Operating Temp:

180.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

0.139

### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

#### **Mounting Position:**

Horizontal or vertical

## Inlet/outlet Operating Pressure Differential:

Between 10.0 pounds per square inch and 250.0 pounds per square inch

## Maximum Operating Pressure:

250.0 pounds per square inch single response

**Thread Size:** 

0.500 inches all ends

### Voltage In Volts And Current Type:

120.0 ac

### Center To Center Distance:

1.375 inches

Phase:

Single

#### **Frequency In Hertz:**

60.0

Material:

Rubber synthetic flow control device

#### Media For Which Designed:

Gas, inert 2nd response

#### Style Designator:

Err-090

#### **Thread Series Designator:**

Npt all ends

# NSN 4810-01-181-8489

Solenoid Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

