NSN 4810-01-203-8476

Solenoid Valve - Page 1 of 2

Pipe Size Accommodated:

0.500 inches all ends



View Online at https://aerobasegroup.com/nsn/4810-01-203-8476

Thread Direction:
Right-hand all ends
Aperture Diameter:
0.625 inches
Flow Control Device:
Diaphragm
Flow Control Device Normal Operation Position:
Open
Renewable Seat Ring Type:
Pressed-in
Maximum Operating Temp:
200.0 degrees fahrenheit 2nd response
Connection Style:
G9 plain, optional en (pipe) all ends
Current Rating In Amps:
60.000
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
1 all ends
Inlet/outlet Operating Pressure Differential:
125.0 pounds per square inch
Maximum Operating Pressure:
125.0 pounds per square inch 2nd response
Thread Size:
0.500 inches 1st end
Voltage In Volts And Current Type:
110.0 ac
Phase:
Single
Frequency In Hertz:
50.0
Material:
Rubber butadiene-acrylonitrile class nbr seat
Media For Which Designed:
Air 1st response

NSN 4810-01-203-8476

Solenoid Valve - Page 2 of 2



Style Designator:
Err-090
Thread Series Designator:
Npt all ends
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A046b0