

View Online at <https://aerobasegroup.com/nsn/4810-01-204-8611>

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Disk

**Flow Control Device Normal Operation Position:**

Closed

**Maximum Operating Temp:**

180.0 degrees fahrenheit 2nd response

**End Application:**

Aircraft, f-16

**Connection Style:**

G9 plain, optional en (pipe) all ends

**Current Rating In Amps:**

0.404

**Valve Operation Method:**

Solenoid

**Connection Type:**

Threaded internal pipe all ends

**Mounting Position:**

Horizontal or vertical

**Inlet/outlet Operating Pressure Differential:**

10.0 pounds per square inch

**Maximum Operating Pressure:**

300.0 pounds per square inch 2nd response

**Thread Size:**

0.250 inches all ends

**Voltage In Volts And Current Type:**

24.0 dc

**Center To Center Distance:**

1.312 inches

**Material:**

Rubber butadiene-acrylonitrile class nbr seat

**Media For Which Designed:**

Oil 1st response

**Style Designator:**

Err-090

**Supplementary Features:**

Two mounting holes, 0.250-20 thread spaced 1.000 in apart

**Thread Series Designator:**

Npt all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0