## NSN 4810-01-210-8135

Solenoid Valve - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/4610-01-210-6135
Thread Direction:
Right-hand all ends
Aperture Diameter:
0.375 inches
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
180.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) all ends
Current Rating In Amps:
0.088
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal or vertical
Maximum Operating Pressure:
50.0 pounds per square inch single response
Thread Size:
0.375 inches all ends
Criticality Code Justification:
Zzzy
Voltage In Volts And Current Type:
120.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Copper alloy body
Style Designator:
Straight through y-pattern
Thread Series Designator:
Npt all ends
Reference Number Differentiating Characteristics:
Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications
Shalf Life:

N/a

## NSN 4810-01-210-8135

Solenoid Valve - Page 2 of 2



			ıre:

--

Demilitarization:

Yes - demil/mli

Fiig:

A046b0