Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-210-8135

Thread Direction:

Right-hand all ends

Aperture Diameter:

0.375 inches

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Closed

Maximum Operating Temp:

180.0 degrees fahrenheit single response

Connection Style:

Plain, optional en (pipe) all ends

Current Rating In Amps:

0.088

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe all ends

Mounting Position:

Horizontal or vertical

Maximum Operating Pressure:

50.0 pounds per square inch single response

Thread Size:

0.375 inches all ends

Criticality Code Justification:

Zzzy

Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

Frequency In Hertz:

60.0

Material:

Copper alloy body

Style Designator:

Straight through y-pattern

Thread Series Designator:

Npt all ends

Reference Number Differentiating Characteristics:

Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications **Shelf Life:**

N/a

NSN 4810-01-210-8135

Solenoid Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A046b0

