NSN 4810-01-210-8136



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-210-8136 **Thread Direction:** Right-hand all ends **Flow Control Device:** Disk Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:**

0.088

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe all ends

Mounting Position:

Horizontal or vertical

Maximum Operating Pressure:

50.0 pounds per square inch single response

Thread Size:

0.500 inches all ends

Criticality Code Justification:

Zzzy

Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

Frequency In Hertz:

60.0

Material:

Copper alloy body

Style Designator:

A8 straight through y-pattern

Thread Series Designator:

Npt all ends

Reference Number Differentiating Characteristics:

Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications

Shelf Life:

N/a

Unit Of Measure:

NSN 4810-01-210-8136

Solenoid Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A046b0