# NSN 4810-01-210-8136

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-210-8136

# Thread Direction:

Right-hand all ends

#### **Flow Control Device:**

Disk

# Flow Control Device Normal Operation Position:

Closed

# Maximum Operating Temp:

180.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

# Current Rating In Amps:

0.088

Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

**Mounting Position:** 

Horizontal or vertical

# Maximum Operating Pressure:

50.0 pounds per square inch single response

# Thread Size:

0.500 inches all ends

#### **Criticality Code Justification:**

Zzzy

#### Voltage In Volts And Current Type:

120.0 ac

#### Phase:

Single

#### Frequency In Hertz:

60.0

#### Material:

Copper alloy body

#### Style Designator:

A8 straight through y-pattern

#### **Thread Series Designator:**

Npt all ends

# **Reference Number Differentiating Characteristics:**

Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications **Shelf Life:** 

N/a

# Unit Of Measure:

---

# NSN 4810-01-210-8136

Solenoid Valve - Page 2 of 2

# Demilitarization:

Yes - demil/mli

Fiig:

A046b0

