NSN 4810-01-216-4047



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-216-4047 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.062 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Universal **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.088 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal **Maximum Operating Pressure:** 130.0 pounds per square inch 3rd response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 120.0 ac Phase: Single **Special Features:** Explosion-proof solenoid enclosure Frequency In Hertz: 60.0 Material: Rubber butadiene-acrylonitrile class nbr flow control device Media For Which Designed: Oil 2nd response **Style Designator:** A11 cross **Thread Series Designator:**

Thread Series
Npt all ends
Shelf Life:

N/a

NSN 4810-01-216-4047

Solenoid Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0