Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-218-2358

## Thread Direction:

Right-hand all ends

#### Aperture Diameter:

0.281 inches

# **Flow Control Device:**

Disk

## Flow Control Device Normal Operation Position:

Closed

#### Maximum Operating Temp:

200.0 degrees fahrenheit single response

## **Connection Style:**

G9 plain, optional en (pipe) all ends

## **Current Rating In Amps:**

0.167

## Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

## **Mounting Position:**

Horizontal or vertical

# Inlet/outlet Operating Pressure Differential:

Between 75.0 pounds per square inch and 105.0 pounds per square inch

# Maximum Operating Pressure:

105.0 pounds per square inch single response

#### **Thread Size:**

0.375 inches all ends

## Voltage In Volts And Current Type:

120.0 ac

# Phase:

Single

#### **Frequency In Hertz:**

60.0

# Material:

Rubber butadiene-acrylonitrile class nbr flow control device

# Media For Which Designed:

Water-oil-gas single response

# Style Designator:

A1 straight thru

# Thread Series Designator:

Npt all ends

# Shelf Life:

N/a

# NSN 4810-01-218-2358

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

