# NSN 4810-01-231-2717

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-231-2717

# Thread Direction:

Right-hand all ends

## Flow Control Device:

Piston

# Flow Control Device Normal Operation Position:

Open

## Maximum Operating Temp:

180.0 degrees fahrenheit single response

## Connection Style:

G9 plain, optional en (pipe) all ends

# Current Rating In Amps:

0.260

#### Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

#### **Mounting Position:**

Horizontal or vertical

### Inlet/outlet Operating Pressure Differential:

125.0 pounds per square inch

## Maximum Operating Pressure:

140.0 pounds per square inch single response

## Thread Size:

0.250 inches all ends

#### Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

#### **Special Features:**

Direct acting

#### **Frequency In Hertz:**

60.0

# Material:

Stainless steel body

# Media For Which Designed:

Water-oil-gas single response

# Style Designator:

A7 angle

# Thread Series Designator:

Npt all ends

# Shelf Life:

N/a

# NSN 4810-01-231-2717

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

