## NSN 4810-01-258-1041

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-258-1041

Flow Control Device:		
Disk		
Flow Control Device Normal Operation Position:		
Closed		
Bolt Hole Quantity:		
4 all ends		
Current Rating In Amps:		
20.000		
Valve Operation Method:		
Solenoid		
Flange Shape:		
Round with holes all ends		
Connection Type:		
Flange all ends		
Mounting Position:		
Vertical		
Valve Size:		
0.750 inches		
Inlet/outlet Operating Pressure Differential:		
175.0 pounds per square inch		
Voltage In Volts And Current Type:		
115.0 ac		
Outside Diameter:		
3.875 inches all ends		
Face To Face Distance:		
4.875 inches		
Thickness:		
1.031 inches all ends		
Bolt Hole Diameter:		
0.500 inches all ends		
Bolt Circle Diameter:		
2.750 inches all ends		
Flange Face Design:		
Plain all ends		
Phase:		
Single		
Special Features:		
Water-tight nema 4; terminal block, manual override; w/locking device		
Frequency In Hertz:		
60.0		
Material:		
Nickel alloy flow control device		

## NSN 4810-01-258-1041

Solenoid Valve - Page 2 of 2



01-1-	D = =! = 1 =	
Stvie	Designator:	

Err-090

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A046b0