# NSN 4810-01-259-2215

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-259-2215

### Thread Direction:

Right-hand all ends

# **Flow Control Device:**

Disk

# Flow Control Device Normal Operation Position:

Open

# Maximum Operating Temp:

353.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

# Current Rating In Amps:

0.128

#### Valve Operation Method:

Solenoid

#### Connection Type:

#### Threaded internal pipe all ends

**Mounting Position:** 

Vertical

### Maximum Operating Pressure:

125.0 pounds per square inch single response

### Thread Size:

1.000 inches all ends

# Voltage In Volts And Current Type:

120.0 ac

# Phase:

Single

# Frequency In Hertz:

60.0

# Material:

Plastic polytetrafluoroethylene flow control device

# Media For Which Designed:

Steam single response

#### Style Designator:

Err-090

#### **Thread Series Designator:**

Npt all ends

# Shelf Life:

N/a

### Unit Of Measure:

---

### Demilitarization:

No

# NSN 4810-01-259-2215

Solenoid Valve - Page 2 of 2

**Fiig:** A046b0

