NSN 4810-01-275-9102

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-275-9102 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.047 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Universal **Maximum Operating Temp:** 140.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.375 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Inlet/outlet Operating Pressure Differential:** 175.0 pounds per square inch **Maximum Operating Pressure:** 175.0 pounds per square inch single response **Thread Size:** 0.125 inches all ends **Voltage In Volts And Current Type:** 24.0 ac Phase: Single **Special Features:** Three-way valve Frequency In Hertz: 60.0 Material: Copper alloy body Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090

Thread Series Designator:

Npt all ends

NSN 4810-01-275-9102

Solenoid Valve - Page 2 of 2



_					
C.	~~	14	I i	ife:	
J.	16			HE.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0