NSN 4810-01-280-3964

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-280-3964

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Closed

Bolt Hole Quantity:

4 all ends

Current Rating In Amps:

24.000

Valve Operation Method:

Solenoid

Flange Shape:

Round with holes all ends

Connection Type:

Flange all ends

Mounting Position:

Horizontal

Valve Size:

2.500 inches

Maximum Operating Pressure:

150.0 pounds per square inch single response

Voltage In Volts And Current Type:

120.0 ac

Outside Diameter:

7.000 inches all ends

Face To Face Distance:

8.000 inches

Thickness:

0.688 inches all ends

Bolt Hole Diameter:

0.750 inches all ends

Bolt Circle Diameter:

5.500 inches all ends

Flange Face Design:

Raised straight all ends

Raised Face Height:

0.062 inches all ends

Raised Face Diameter:

4.125 inches all ends

Phase:

Single

Frequency In Hertz:

60.0

NSN 4810-01-280-3964

Solenoid Valve - Page 2 of 2

Material:

Steel comp 304 body

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

