Fluid Pressure Regulating Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-284-8189

Pedy Meterial
Body Material:
Aluminum
Body Style:
Тее
First End Connection Type:
Threaded internal boss
First End Style Designator:
Gasket seal
First End Thread Size And Series/type Designator:
0.750-16 unf
First End Thread Class:
3b
First End Thread Direction:
Right-hand
Second End Relationship With First End:
Identical
Second End Style Designator:
Gasket seal
Second End Thread Size And Series/type Designator:
0.562-18 unf
Second End Thread Class:
3b
Second End Thread Direction:
Second End Thread Direction.
Right-hand
Right-hand
Right-hand Third End Relationship With Preceding Ends:
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type:
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance:
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material:
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material: Rubber, synthetic
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material: Rubber, synthetic Flow Control Device:
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material: Rubber, synthetic Flow Control Device: Disk
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material: Rubber, synthetic Flow Control Device: Disk End Connection Quantity:
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material: Rubber, synthetic Flow Control Device: Disk End Connection Quantity: 3
Right-hand Third End Relationship With Preceding Ends: Not identical with first or second end Third End Connection Type: Threaded internal boss Center To Center Distance: 1.560 inches Packing Material: Rubber, synthetic Flow Control Device: Disk End Connection Quantity: 3 Outlet Pressure Range:
Right-handThird End Relationship With Preceding Ends:Not identical with first or second endThird End Connection Type:Threaded internal bossCenter To Center Distance:1.560 inchesPacking Material:Rubber, syntheticFlow Control Device:DiskEnd Connection Quantity:3Outlet Pressure Range:+25.0/+400.0 pounds per square inch
Right-handThird End Relationship With Preceding Ends:Not identical with first or second endThird End Connection Type:Threaded internal bossCenter To Center Distance:1.560 inchesPacking Material:Rubber, syntheticFlow Control Device:DiskEnd Connection Quantity:3Outlet Pressure Range:+25.0/+400.0 pounds per square inchRegulation Type:
Right-handThird End Relationship With Preceding Ends:Not identical with first or second endThird End Connection Type:Threaded internal bossCenter To Center Distance:1.560 inchesPacking Material:Rubber, syntheticFlow Control Device:DiskEnd Connection Quantity:3Outlet Pressure Range:+25.0/+400.0 pounds per square inchRegulation Type:Automatic single stage



Maximum Inlet Pressure Rating:

2000.0 pounds per square inch

Filter:

Not included

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100