NSN 4810-01-292-7628

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-292-7628 **Thread Direction:** Right-hand all ends **Flow Control Device:** Disk Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 150.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.933 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 80.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 12.0 dc **Special Features:** Orifice size 0.125 in.; seals buna"n", polytetrafluoroethylene, ethylene propylene and stainless steel Material: Stainless steel body Media For Which Designed: Air 1st response **Style Designator:** A1 straight thru **Supplementary Features:** Applicable on h-1 heater, nsn 4520011352770; this item replaces nsn 4820011018661 per approval of a sugg estion **Thread Series Designator:** Npt all ends Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 4810-01-292-7628

Solenoid Valve - Page 2 of 2



Fiig:

A046b0