NSN 4810-01-292-7628

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-292-7628

Thread Direction:

Right-hand all ends

Flow Control Device:

Disk

Flow Control Device Normal Operation Position:

Open

Maximum Operating Temp:

150.0 degrees fahrenheit single response

Connection Style:

G9 plain, optional en (pipe) all ends

Current Rating In Amps:

0.933

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe all ends

Mounting Position:

Horizontal or vertical

Maximum Operating Pressure:

80.0 pounds per square inch single response

Thread Size:

0.250 inches all ends

Voltage In Volts And Current Type:

12.0 dc

Special Features:

Orifice size 0.125 in.; seals buna"n", polytetrafluoroethylene, ethylene propylene and stainless steel

Material:

Stainless steel body

Media For Which Designed:

Air 1st response

Style Designator:

A1 straight thru

Supplementary Features:

Applicable on h-1 heater, nsn 4520011352770; this item replaces nsn 4820011018661 per approval of a sugg estion

Thread Series Designator:

Npt all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 4810-01-292-7628

Solenoid Valve - Page 2 of 2

Fiig: A046b0

