# NSN 4810-01-305-8620

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-305-8620

# Thread Direction:

Right-hand all ends

# **Flow Control Device:**

Disk

# Flow Control Device Normal Operation Position:

Closed

# Maximum Operating Temp:

200.0 degrees fahrenheit single response

#### **Connection Style:**

G9 plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

0.095 and 0.088

#### Valve Operation Method:

Solenoid

#### Connection Type:

Threaded internal pipe all ends

#### **Mounting Position:**

Horizontal or vertical

# Maximum Operating Pressure:

45.0 pounds per square inch single response

# Thread Size:

0.250 inches all ends

# Voltage In Volts And Current Type:

110.0 ac and 120.0 ac

Phase:

Single

#### Frequency In Hertz:

50.0 and 60.0

Material:

Rubber butadiene-acrylonitrile class nbr flow control device

# Media For Which Designed:

Air 1st response

#### Style Designator:

Err-090

#### **Thread Series Designator:**

Npt all ends

Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

# **NSN 4810-01-305-8620** Solenoid Valve - Page 2 of 2

Fiig: A046b0

