## NSN 4810-01-351-5843

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-351-5843 **Thread Direction:** Right-hand all ends Offset Distance: 1.090 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 104.0 degrees fahrenheit single response **End Application:** 4920-01-312-2339 **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.091 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal or vertical **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 120.0 ac Phase: Single **Special Features:** 4 way, 2 position Frequency In Hertz: 60.0 Material: Copper alloy bodyplastic polyamide flow control devicerubber butadiene-acrylonitrile class nbr packing Media For Which Designed: Water-oil-gas single response **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends

N/a

Shelf Life:

## NSN 4810-01-351-5843

Solenoid Valve - Page 2 of 2



|  |  | eas |  |
|--|--|-----|--|

--

Demilitarization:

No

Fiig:

A046b0