## NSN 4810-01-351-5844

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-351-5844 **Thread Direction:** Right-hand all ends Offset Distance: 0.900 inches Flow Control Device: Disk Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 165.0 degrees fahrenheit single response **End Application:** 4920-01-312-2339 **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 0.600 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Horizontal **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.250 inches all ends **Voltage In Volts And Current Type:** 24.0 dc and 28.0 dc **Special Features:** Nylatron seat; 3 way, 2 position valve Aluminum alloy bodyrubber butadiene-acrylonitrile class nbr packing **Style Designator:** Err-090 **Thread Series Designator:** Npt all ends Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## **NSN 4810-01-351-5844** Solenoid Valve - Page 2 of 2



Fiig:

A046b0