## NSN 4810-01-370-7821

Solenoid Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-01-370-7821

| Thread Direction:                              |
|--|
| Right-hand all ends                            |
| Aperture Diameter:                             |
| 0.625 inches                                   |
| Flow Control Device Normal Operation Position: |
| Closed   |
| End Application:                               |
| Support equipment, f-16 aircraft               |
| Connection Style:                              |
| G9 plain, optional en (pipe) all ends          |
| Current Rating In Amps:                        |
| 0.092  |
| Valve Operation Method:                        |
| Solenoid                                       |
| Connection Type:                               |
| Threaded internal pipe all ends                |
| Mounting Position:                             |
| Horizontal or vertical                         |
| Thread Size:                                   |
| 0.500 inches all ends                          |
| Voltage In Volts And Current Type:             |
| 120.0 ac                                       |
| Phase:   |
| Single   |
| Frequency In Hertz:                            |
| 60.0   |
| Material:                                      |
| Copper alloy body                              |
| Style Designator:                              |
| Err-090  |
| Thread Series Designator:                      |
| Npt all ends                                   |
| Shelf Life:                                    |
| N/a  |
| Unit Of Measure:                               |
|  |
| Demilitarization:                              |
| No   |
| Fiig:  |
| A046b0   |