NSN 4810-01-371-2582



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-371-2582 **Thread Direction:** Right-hand all ends **Aperture Diameter:** 0.625 inches Flow Control Device: Diaphragm Flow Control Device Normal Operation Position: Closed **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** G9 plain, optional en (pipe) all ends **Current Rating In Amps:** 1.000 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal pipe all ends **Mounting Position:** Vertical **Inlet/outlet Operating Pressure Differential:** 125.0 pounds per square inch **Thread Size:** 0.500 inches all ends **Voltage In Volts And Current Type:** 120.0 ac Phase: Single **Special Features:** Submersible splice box Frequency In Hertz: 60.0 Material: Steel comp 316 body Media For Which Designed: Air 1st responsegas, inert 2nd responsewater, fresh 3rd response **Style Designator:** Err-090 **Thread Series Designator:**

Npt all ends Shelf Life: N/a

NSN 4810-01-371-2582

Solenoid Valve - Page 2 of 2



| | | eas | |
|--|--|-----|--|

--

Demilitarization:

No

Fiig:

A046b0