NSN 4810-01-387-4612



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-387-4612 **Thread Class:** 2b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Disk Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 180.0 degrees fahrenheit single response **Connection Style:** G5a flar (tube) all ends **Current Rating In Amps:** 0.085 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 300.0 pounds per square inch single response **Thread Size:** 0.164 inches all ends **Voltage In Volts And Current Type:** 187.0 ac **Outside Diameter Tube Accommodated:** 0.381 inches all ends Phase: Single Frequency In Hertz: Plastic polytetrafluoroethylene flow control device

50.0 Material: Media For Which Designed: Refrigerant 22 single response **Style Designator:** Err-090 **Thread Series Designator:** Unc all ends Shelf Life: N/a

NSN 4810-01-387-4612

Solenoid Valve - Page 2 of 2



	• •						
ın	1+	Of	ΝЛ	ດລ	CI.	ırı	ο.

--

Demilitarization:

No

Fiig:

A046b0