## NSN 4810-01-387-4612

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-387-4612

### Thread Class:

2b all ends

**Thread Direction:** 

Right-hand all ends

#### Flow Control Device:

Disk

#### Flow Control Device Normal Operation Position:

Open

#### Maximum Operating Temp:

180.0 degrees fahrenheit single response

#### **Connection Style:**

G5a flar (tube) all ends

#### Current Rating In Amps:

0.085

#### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal tube all ends

#### **Mounting Position:**

Horizontal or vertical

#### Maximum Operating Pressure:

300.0 pounds per square inch single response

#### **Thread Size:**

0.164 inches all ends

#### Voltage In Volts And Current Type:

187.0 ac

#### **Outside Diameter Tube Accommodated:**

0.381 inches all ends

#### Phase:

Single

#### **Frequency In Hertz:**

50.0

#### Material:

Plastic polytetrafluoroethylene flow control device

#### Media For Which Designed:

Refrigerant 22 single response

#### Style Designator:

Err-090

#### Thread Series Designator:

Unc all ends

#### Shelf Life:

N/a

# NSN 4810-01-387-4612

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

