NSN 4810-01-406-4719

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-406-4719

Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
150.0 degrees fahrenheit single response
Minimum Operating Temp:
0.0 degrees fahrenheit
End Application:
4120-01-368-8257
Connection Style:
Socket (tube) all ends
Current Rating In Amps:
0.625
Valve Operation Method:
Solenoid
Connection Type:
Unthreaded internal tube all ends
Mounting Position:
Horizontal or vertical
Inlet/outlet Operating Pressure Differential:
300.0 pounds per square inch
Maximum Operating Pressure:
500.0 pounds per square inch single response
Voltage In Volts And Current Type:
24.0 ac
Outside Diameter Tube Accommodated:
0.875 inches all ends
Phase:
Single
Special Features:
Media refrigerant 134a
Frequency In Hertz:
50.0 and 60.0
Material:
Copper alloy body
Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4810-01-406-4719

Solenoid Valve - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A046b0