NSN 4810-01-408-1584

View Online at https://aerobasegroup.com/nsn/4810-01-408-1584

Solenoid Valve - Page 1 of 2



Thread Class: 2b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Disk Flow Control Device Normal Operation Position: Open **Maximum Operating Temp:** 125.0 degrees fahrenheit single response **Connection Style:** G4 gasket sea (boss) all ends **Current Rating In Amps:** 0.330 **Valve Operation Method:** Solenoid **Connection Type:** Threaded internal tube all ends **Mounting Position:** Horizontal or vertical **Maximum Operating Pressure:** 150.0 pounds per square inch single response **Thread Size:** 0.750 inches all ends **Voltage In Volts And Current Type:** 120.0 ac **Outside Diameter Tube Accommodated:** 0.500 inches all ends Phase: Single **Special Features:** To be supplied with hi-shock bracket Frequency In Hertz: 60.0 Material: Rubber butadiene-acrylonitrile class nbr seat Media For Which Designed: Water, salt single response **Style Designator:** Err-090 **Thread Series Designator:**

Unf all ends

NSN 4810-01-408-1584

Solenoid Valve - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0