NSN 4810-01-416-6883

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-416-6883

Thread Class:
3b all ends
Thread Direction:
Right-hand all ends
Offset Distance:
0.625 inches
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Minimum Operating Temp:
-65.0 degrees fahrenheit
End Application:
Howell dehydrator model 6750 mk 1 for the 170 ft. Patrol coastal (pc-1) class ships
Connection Style:
G4 gasket sea (boss) all ends
Current Rating In Amps:
0.400
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal boss all ends
Mounting Position:
Vertical
Maximum Operating Pressure:
6000.0 pounds per square inch single response
Thread Size:
0.750 inches all ends
Voltage In Volts And Current Type:
115.0 ac
Phase:
Single
Frequency In Hertz:
60.0
Material:
Steel comp 303 body
Media For Which Designed:
Nitrogen, gaseous 2nd response
Style Designator:
Err-090
Thread Series Designator:
Unf all ends

NSN 4810-01-416-6883

Solenoid Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0

