

View Online at <https://aerobasegroup.com/nsn/4810-01-426-4994>

**Thread Direction:**

Right-hand all ends

**Flow Control Device Normal Operation Position:**

Closed

**Maximum Operating Temp:**

140.0 degrees fahrenheit single response

**Minimum Operating Temp:**

-40.0 degrees fahrenheit

**End Application:**

A/w37t- (v), a/w375-1 and a/e37t-24(v)

**Connection Style:**

G9 plain, optional en (pipe) all ends

**Current Rating In Amps:**

1.100

**Valve Operation Method:**

Solenoid

**Connection Type:**

Threaded internal pipe all ends

**Mounting Position:**

Horizontal or vertical

**Maximum Operating Pressure:**

6000.0 pounds per square inch 2nd response

**Thread Size:**

0.750 inches all ends

**Voltage In Volts And Current Type:**

24.0 dc

**Special Features:**

N/h/a 1233as108, 1514as300 and 1289as105

**Material:**

Stainless steel body or aluminum alloy body

**Media For Which Designed:**

Hydraulic fluid, petroleum base single response

**Style Designator:**

Err-090

**Thread Series Designator:**

Npt all ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0