# NSN 4810-01-433-1311

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-433-1311

# Thread Direction:

Right-hand all ends

# **Aperture Diameter:**

0.750 inches

# Flow Control Device Normal Operation Position:

Open

# Maximum Operating Temp:

353.0 degrees fahrenheit 1st response

#### **End Application:**

Mars class afs

#### Connection Style:

G9 plain, optional en (pipe) all ends

# **Current Rating In Amps:**

23.600

# Valve Operation Method:

Solenoid

# **Connection Type:**

Threaded internal pipe all ends

# **Mounting Position:**

Horizontal or vertical

# Maximum Operating Pressure:

150.0 pounds per square inch 2nd response

# **Thread Size:**

0.750 inches all ends

# Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

# **Special Features:**

Explosion proof

# **Frequency In Hertz:**

60.0

# Material:

Copper alloy body

# Media For Which Designed:

Water, fresh 2nd response

# Style Designator:

Err-090

# Thread Series Designator:

Npt all ends

# Shelf Life:

N/a

# NSN 4810-01-433-1311

Solenoid Valve - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A046b0

