## NSN 4810-01-433-2647

Solenoid Valve - Page 1 of 2

Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4810-01-433-2647

Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
185.0 degrees fahrenheit single response
End Application:
Mars class afs
Current Rating In Amps:
0.200
Valve Operation Method:
Solenoid
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Valve Size:
1.500 inches
Voltage In Volts And Current Type:
60.0 ac
Outside Diameter:
6.125 inches all ends
Face To Face Distance:
9.000 inches
Thickness:
0.812 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
4.500 inches all ends
Flange Face Design:
Plain all ends
Phase:
Single
Frequency In Hertz:
60.0
Material:
Steel comp 316

## **NSN 4810-01-433-2647** Solenoid Valve - Page 2 of 2



Material Specification:
Astm a351 cf8m assn standard single material response
Style Designator:
Err-090
Shelf Life:
N/a
Unit Of Measure:
<del></del>

Demilitarization:

No

Fiig:

A046b0