## NSN 4810-01-446-2237

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-446-2237

### Thread Direction:

Right-hand all ends

**Flow Control Device:** 

Piston

## Flow Control Device Normal Operation Position:

Open

#### Maximum Operating Temp:

212.0 degrees fahrenheit single response

#### **End Application:**

Mars class afs

**Connection Style:** 

G9 plain, optional en (pipe) all ends

#### **Current Rating In Amps:**

1.000

#### Valve Operation Method:

Solenoid

#### **Connection Type:**

Threaded internal pipe all ends

## Mounting Position:

Horizontal

#### Maximum Operating Pressure:

300.0 pounds per square inch single response

#### Thread Size:

1.250 inches all ends

#### Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

## Frequency In Hertz:

60.0

## Material:

Steel comp 303 stem

## Media For Which Designed:

Air 2nd response

## Style Designator:

Err-090

## Thread Series Designator:

Npt all ends

## Shelf Life:

N/a

## Unit Of Measure:

--

# NSN 4810-01-446-2237

Solenoid Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

