NSN 4810-01-450-3112

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-450-3112

Thread Direction:

Right-hand all ends

Aperture Diameter:

0.063 inches

Flow Control Device Normal Operation Position:

Open

Maximum Operating Temp:

55.0 degrees celsius single response

Minimum Operating Temp:

0.0 degrees celsius

End Application:

Aircraft, (ac-130a, ac-130h, mc-130h, ec-130e, hc-130)

Connection Style:

G9 plain, optional en (pipe) all ends

Current Rating In Amps:

0.050

Valve Operation Method:

Solenoid

Connection Type:

Threaded internal pipe all ends

Mounting Position:

Vertical

Maximum Operating Pressure:

125.0 pounds per square inch single response

Thread Size:

0.125 inches all ends

Voltage In Volts And Current Type:

120.0 ac

Phase:

Single

Frequency In Hertz:

60.0

Material:

Stainless steel body

Media For Which Designed:

Water-oil-gas single response

Style Designator:

Err-090

Thread Series Designator:

Npt all ends

Shelf Life:

N/a

NSN 4810-01-450-3112

Solenoid Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

