NSN 4810-01-467-9033

Solenoid Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-467-9033

view Online at https://aerobasegroup.com/nsn/4810-01-467-903.
Flow Control Device:
Disk
Flow Control Device Normal Operation Position:
Closed
Maximum Operating Temp:
200.0 degrees fahrenheit single response
End Application:
Usns stalwart class tagos
Connection Style:
G9 plain, optional en (pipe) all ends
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe all ends
Mounting Position:
Horizontal
Maximum Operating Pressure:
85.0 pounds per square inch single response
Thread Size:
0.250 inches all ends
Voltage In Volts And Current Type:
120.0 ac
Phase:
Single
Special Features:
Prefix sc is for din terminals; suffix v for viton ecastomers
Frequency In Hertz:
60.0
Material:
Copper alloy body
Media For Which Designed:
Water-oil-gas single response
Style Designator:
Err-090
Thread Series Designator:
Npt all ends
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 4810-01-467-9033

Solenoid Valve - Page 2 of 2



Fiig:

A046b0