Directional Control Linear Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-01-474-3270

End Connection Quantity:
3
Valve Operation Method:
Solenoid
Connection Type:
Threaded internal pipe
Thready Qty Per Inch (tpi):
20
Maximum Operating Pressure And Media For Which Designed:
300.0 pounds per square inch air and 300.0 pounds per square inch oil, hydraulic and 300.0 pounds per square inch water
Thread Size:
0.4375 inches
Body Material:
Copper alloy
Maximum Operating Tempurature And Media For Which Designed:
150.0 degrees fahrenheit air and 150.0 degrees fahrenheit oil, hydraulic and 150.0 degrees fahrenheit water
Voltage In Volts And Current Type:
115.0 ac
Spool Position Quantity:
2
Spool Quantity:
1
Phase:
Single
Special Features:
External pilot feed; dimensions (inches/) 8.76 length x 6.156 height x 2.500 width; next higher assembly p/n 15663000-1
Frequency In Hertz:
60.0
Thread Series Designator:
Ptf-sae short
Furnished Items And Quantity:
1 pilot valve
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A506h0