## NSN 4810-01-505-9275

Ball Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4810-01-505-9275

| Bolt Hole Quantity:  |
|--|
| 12 all ends  |
| Current Rating In Amps:  |
| 1.000  |
| Valve Operation Method:  |
| Electric motor or manual   |
| Flange Shape:  |
| Round with holes all ends  |
| Connection Type:   |
| Flange all ends  |
| Voltage In Volts And Current Type:   |
| 440.0 ac   |
| Outside Diameter:  |
| 10.125 inches all ends   |
| Thickness:   |
| 0.625 inches all ends  |
| Bolt Hole Diameter:  |
| 0.687 inches all ends  |
| Bolt Circle Diameter:  |
| 8.875 inches all ends  |
| Flange Face Design:  |
| Plain all ends   |
| Product Name:  |
| Ball valve   |
| Phase:   |
| Three  |
| Special Features:  |
| Ball valve 6in. 2way mil-v-24509a mounted to a nu-torque model ms12q electric actuator |
| Frequency In Hertz:  |
| 60.0   |
| Material:  |
| Plastic polytetrafluoroethylene seat   |
| Material Specification:  |
| Qq-n-281 cl.Acd federal specification single material response stem                    |
| Style Designator:  |
| Err-090  |
| Furnished Items And Quantity:  |
| 1 handwheel  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 4810-01-505-9275

Ball Valve - Page 2 of 2



| em |  |  |  |
|----|--|--|--|
|    |  |  |  |
|    |  |  |  |

No

Fiig:

A046b0