NSN 4810-01-525-9406

Globe Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4810-01-525-9406

Flow Control Device:
Plug
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Bolted
Maximum Operating Temp:
500.0 degrees fahrenheit 1st response
Valve Operation Method:
Air
Valve Size:
2.000 inches
Maximum Operating Pressure:
150.0 pounds per square inch 1st response
Special Features:
2 inch control valve for 378 firemain system
Material:
Nickel stem
Nickel stem Media For Which Designed:
Media For Which Designed:
Media For Which Designed: Water, fresh single response
Media For Which Designed: Water, fresh single response Style Designator:
Media For Which Designed: Water, fresh single response Style Designator: Err-090
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life:
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure:
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure:
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization:
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig:
Media For Which Designed: Water, fresh single response Style Designator: Err-090 Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: