NSN 4810-01-578-6677



Solenoid Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4810-01-578-6677 **Thread Class:** 2 1st end **Thread Direction:** Right-hand 1st end **Maximum Operating Temp:** 200.0 degrees fahrenheit single response **End Application:** New construction lcs2 **Connection Style:** G46c plain (hose) 1st end **Current Rating In Amps:** 1.250 **Valve Operation Method:** Solenoid **Connection Type:** Threaded cartridge 1st end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 12 1st end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.062 inches 1st end **Voltage In Volts And Current Type:** 24.0 dc **Product Name:** Solenoid valve; inavy valve, control **Special Features:** Coil termination din 43650; 2 position, double selector Material: Steel body Media For Which Designed: Oil, hydraulic single response **Style Designator:** Err-090 **Thread Series Designator:**

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

NSN 4810-01-578-6677

Solenoid Valve - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A046b0