

View Online at <https://aerobasegroup.com/nsn/4820-00-003-0068>

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Threaded

Bolt Hole Quantity:

4 all ends

Width:

3.800 inches all ends

Length:

3.890 inches all ends

Valve Operation Method:

Manual

Flange Shape:

Rectangular with holes all ends

Connection Type:

Flange all ends

Valve Size:

1.375 inches

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Face To Face Distance:

6.300 inches

Thickness:

0.062 inches all ends

Bolt Hole Diameter:

0.625 inches all ends

Center To Center Distance Between Bolt Holes Along Length:

2.542 inches all ends

Center To Center Distance Between Bolt Holes Along Width:

2.542 inches all ends

Flange Face Design:

Plain all ends

Special Features:

Valve operator has internal npt 0.500-14 inlet and internal npt 0.500-18 outlet; flange holes are threaded unc 0.625-11 rh 2b

Material:

Steel

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0