NSN 4820-00-006-3987

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-006-3987 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 225.0 degrees fahrenheit single response **Connection Style:** Gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss all ends **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.062 inches all ends **Outside Diameter Tube Accommodated:** 0.750 inches all ends **Special Features:** Valve cracking pressure 20 psi Material: Steel comp 304 flow control device and steel comp 303 flow control device **Material Specification:** Qq-b-626, alloy 360 federal specification single material response body Media For Which Designed: Fuel/oil, hydrocarbon 2nd response **Style Designator:** Straight thru **Thread Series Designator:** Unjf all ends Shelf Life:

Unit Of Measure:

N/a

NSN 4820-00-006-3987

Check Valve - Page 2 of 2



Demi		

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-g-1149 spec.