## NSN 4820-00-006-3988

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-006-3988

## Thread Class:

3b all ends

**Thread Direction:** 

Right-hand all ends

## Flow Control Device:

Poppet

## **Disk Loading Method:**

Spring

#### Maximum Operating Temp:

225.0 degrees fahrenheit single response

#### **Connection Style:**

Gasket seal (boss) all ends

## Valve Operation Method:

Automatic

#### **Connection Type:**

## Threaded internal boss all ends

**Mounting Position:** 

Horizontal

## Thready Qty Per Inch (tpi):

16 all ends

## Maximum Operating Pressure:

3000.0 pounds per square inch single response

## **Thread Size:**

0.750 inches all ends

## **Outside Diameter Tube Accommodated:**

0.500 inches all ends

## Material:

Steel comp 304 flow control device and steel comp 303 flow control device

## Material Specification:

Qq-b-626, alloy 360 federal specification single material response body

#### Media For Which Designed:

Fuel/oil, hydrocarbon 2nd response

#### Style Designator:

Straight thru

#### **Thread Series Designator:**

Unjf all ends

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

# NSN 4820-00-006-3988

Check Valve - Page 2 of 2

Fiig: A530b0 Mil-std (military Standard):

Mil-g-1149 spec.

