NSN 4820-00-013-9268

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-013-9268 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 160.0 degrees fahrenheit single response **Connection Style:** Flared (tube) 1st end **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube 1st end **Mounting Position:** Horizontal or vertical Thready Qty Per Inch (tpi): 20 1st end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 1st end **Outside Diameter Tube Accommodated:** 0.250 inches 1st end **Special Features:** Third end is bulkhead type ms33657 Material: Steel comp 303 body **Material Specification:** Aisi assn standard single material response body **Surface Treatment: Passivate Style Designator:** Tee **Thread Series Designator:** Unjf 1st end

Shelf Life:

N/a

NSN 4820-00-013-9268

Check Valve - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A530b0