NSN 4820-00-024-4697

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-024-4697

Thread Class:
3a all ends
Thread Direction:

Right-hand all ends

Flow Control Device:

Poppet

Disk Loading Method:

Spring

Maximum Operating Temp:

350.0 degrees fahrenheit single response

Connection Style:

Flared (tube) all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded external tube 1st end

Mounting Position:

Horizontal or vertical

Thready Qty Per Inch (tpi):

20 all ends

Maximum Operating Pressure:

400.0 pounds per square inch single response

Thread Size:

0.438 inches all ends

Seat Angle:

37.0 degrees all ends

Outside Diameter Tube Accommodated:

0.250 inches all ends

Material:

Steel flow control device

Material Specification:

Qq-s-764, type 303-cancelled federal specification single material response flow control device

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Style Designator:

Straight thru

Thread Series Designator:

Unjf all ends

Shelf Life:

N/a

Unit Of Measure:

NSN 4820-00-024-4697

Check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

