NSN 4820-00-032-4763

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-032-4763

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Maximum Operating Temp:
275.0 degrees fahrenheit single response
End Application:
Ah-1w advance attack helicopter
Connection Style:
Flareless 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 2nd end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
20 2nd end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.548 inches 2nd end
Seat Angle:
37.0 degrees 1st end
Criticality Code Justification:
Feat
Outside Diameter Tube Accommodated:
0.250 inches 2nd end
Special Features:
Weapon system essential
Material:
Steel flow control device
Material Specification:
Qq-a-225/6, alloy2024, t351 federal specification single material response packing
Media For Which Designed:
Hydraulic fluid, petroleum base single response
Style Designator:
Straight thru
Thread Series Designator:
Unjf 2nd end

NSN 4820-00-032-4763

Check Valve - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A530b0

Mil-std (military Standard):

Mil-s-7720 spec.

Shelf Life: